HOUSEHOLD KNOWLEDGE, ATTITUDES AND PRACTICES IN SOLID WASTE SEGREGATION AND MANAGEMENT: A STUDY IN ERAVUR URBAN COUNCIL AREA, BATTICALOA DISTRICT

Krishnal Thirumarpan¹, T.Thiruchelvam², M.S.A.Dilsath¹ and M. S. M.Minhajkhan¹

Department of Agricultural Economics,
Department of Bio System Technology,
Faculty of Agriculture
Eastern University, Vantharumoolai, Sri Lanka skrish_16@yahoo.com, thiru3@sky.com

ABSTRACT

Solid waste has become a critical issue with increasing population and created a negative impact on environment. This study examined the knowledge, attitudes and practices in solid waste segregation and management in Eravur Urban Council. Proportionate sampling technique was used to select sample and from five Grama Niladhari divisions a total of 100 households were studied. It was found that average quantity of solid waste generated by households was 2.61 kg/day. Food waste was highest among the listed waste materials. Every household generated 2.06 kg of food waste per day. Food wastes were disposed by several methods such as disposal in urban council truck (30.35%), fed to animals (29.46%) and buried in their home (25.89%). Yard wastes, plastics, paper, metals and glass wastes were mostly disposed by households through the existing Urban Council collection service. Only 0.93% of the household reused the paper. Eravur-01B households generated the highest average quantity (3.17kg/ household /day) of solid waste among all five GN divisions in the Eravur Urban Council. It was also found that 82% of the household heads believed that the burning of waste makes health risk. 98% of the household heads concerned about disease (Eg: Dengue, Malaria) that were related to improper storage and disposal method of waste. About 84% of the household were concerned about the service that provided by Urban Council. Public education and teaching in school about waste management took the big responsibility to control the waste blooming in Erayur Urban Council area, 18% of the household heads were not worried about the waste disposal because of their personal issues like unemployment and high cost of living etc. It is recommended that the households must be educated with proper solid waste management practices and the government must intensify its proper solid waste management education to increase the awareness and knowledge level of households on the collection service.

Key words: Solid waste, disposal practices

INTRODUCTION

With the increase of world population, demand for food and other necessities, waste generated also started to increase drastically. According to Praktiri (2007), the amount of waste generated daily by each household started to rise and the municipal waste collection centres cannot handle the volume of wastes collected anymore. This inefficiencies and mismanagement causes serious impacts on health problems to the surrounding environment.

Municipal solid waste is an increasing problem in urban areas of Sri Lanka and this problem is aggravated due to absence of proper solid waste management systems at local authorities (Central Environment Authority, 2005). A study conducted by Perera (2003) indicated that approximately 80-85% of municipal domestic solid waste

produced in Sri Lanka consists of organic waste, including food and garden waste. The balance, 15%-20% consists of paper, plastics, glass, metals and other inorganic materials. According to Gunawardana, *et al.*,(2009), although haphazard solid waste disposal has been identified to be one of the major causes for environmental degradation in the National Action Plan of Sri Lanka, the most common method of municipal solid waste disposal still remains to be open dumping, leading to many environmental and health problems.

According to the Eravur Urban Council Report (2014), an estimated 20 metric tons of solid waste is being generated in the Urban Council area every day. Most of the solid waste is from Eravur-01B GN area because of higher population density compare to other GN division of Eravur urban council. High population and the associated increase in urbanization and economic activities had made the impact of the society's solid waste very noticeable. The problems are lack of disposal site and lack of financial assistance in relation to solid waste generation in Eravur Urban Council. During the flooding time waste had been carried out into lagoon and it was dug out by animals and birds which were spread and polluted all over the area.

Thus, a detailed evaluation and quantification of the burdens resulting from current municipal solid waste management on the environment and society is required to develop a sustainable municipal solid waste management system in Eravur Urban Council. Keeping this in mind the following objectives were identified for this research.

- 1. To find out the socio economic profile of the households
- 2. To estimate the different types of solid waste generated
- 3. To determine the solid waste disposal practices
- 4. To determine the level of awareness of the households on proper household solid waste management

METHODOLOGY

Eravur Urban Council comes under the Eravur Town Divisional Secretariat division. This study was conducted in 5 GN divisions of Eravur Urban Council area in Batticaloa district which were Eravur-03A, Eravur-03, Eravur-02C, Eravur-02A, Eravur - 01B. Proportionate sampling was done and the final sample comprised of 100 household. They were interviewed at their door step.

Data collection and analysis

Primary and secondary data were used in the study. Primary data were taken from personal interviews using a questionnaire. Data collected included the socio and economic characteristics of the household head, different types of solid waste generated, their solid waste disposal practices, and their solid waste management attitude. Secondary data were obtained from the Eravur Urban Council and Divisional Secretariat (Eravur Town). Descriptive statistics and frequency analysis were done for questionnaire to explore the socio economic status of household.

RESULTS AND DISCUSSION

Table 1: Household level information

| Household Information | Mean | Std. Deviation |
|--|-------|----------------|
| Household income (Rs/month) | 34440 | 15147.97 |
| Household expenditure (Rs/month) | 32850 | 8906.5 |
| Size of household (Number of person) | 4.22 | 1.3 |
| Number of employed people (Number of person) | 1.31 | 0.54 |

The mean age of household heads were 42.63 years. Results also indicated that most of the household heads were educated up to secondary level (55%) and only 35% were not educated. Mean household income was Rs 34,440 per month. The average household expenditure was Rs 32,850 per month.

Type and volume of solid waste generated

Food wastes topped the list of solid waste materials and it was seen in almost all households (100%). This was followed by paper/card board products, yard wastes, other, glass materials, plastics and metals. The average quantity of solid waste generated by households was 2.61 Kg/day. The average solid waste load of the municipality was 20,000 kg (Eravur Urban Council, 2014).

Based on the results, every household generated 2.06 kg of food waste per day and food waste contributed nearly 79% of the total waste generated in the study area. Whereas plastic waste generation was very much lower (0.05 kg/day) than all other types of waste in the study area.

Table 2: Residential solid waste generation in the Eravur area of Batticaloa

| Types of Waste | Mean waste generation/ Household/ day (kg) | 95% limits | Confidence | Composition of |
|------------------|--|---------------|------------|---|
| | | Lower | Upper | different types of waste to total waste (%) |
| Food Wastes | 2.06 (1.23) | 1.82 | 2.3 | 78.94 |
| Yard Trimming | 0.13 (0.21) | 0.08 | 0.17 | 4.98 |
| Paper/Card board | 0.08 (0.09) | 0.07 | 0.1 | 3.06 |
| Plastic | 0.05 (0.13) | 0.02 | 0.07 | 1.92 |
| Metals | 0.08 (0.24) | 0.04 | 0.13 | 3.06 |
| Glass | 0.08 (0.17) | 0.05 | 0.12 | 3.06 |
| Other | 0.13 (0.2) | 0.09 | 0.17 | 4.98 |
| Total | 2.61 | | | 100 |

(Within brackets Std. Deviation values)

Average quantity of solid waste generated by households per GN division

Households in Eravur 01B generated the highest average quantity (3.17kg) of solid waste among all five GN divisions in the Eravur Urban Council followed by Eravur- 03 (3.12kg). Ervaur 3A generated the lowest amount of waste of 1.94kg/Household/ day.

Household solid waste disposal practices

Food wastes were disposed by households by several methods such as disposal in urban council truck (30.35%), fed to animals (29.46%) and buried in their home (25.89%). Yard wastes, plastics, paper, metals and glass wastes were mostly disposed by households through the existing urban council collection service. Meanwhile, metals and plastic were sold by some of the households (34.31% and 4.9% respectively) and only 0.93% of the household reused the paper

Household opinion of the Urban Council collection service

Most of the households (43%) were very satisfied with existing collection service of the urban council, whereas 5% of the households don't have any idea about the urban Council collection services.

Concerns about solid waste management

Results revealed that 82% of the household heads believed that the burning of waste makes health risk. 98% of the household heads concerned about disease (Eg: Dengue, Malaria) that were related to improper storage and disposal method of waste. About 84% of the household were concerned about the service that provided by urban council. 57% of the household were not concerned about the illegal dumping in their area and also 57% of the household were concerned about flooding due to waste blocking drains and gullies.

Solid Waste Management Attitude Scale

In the study area households accepted that they have the high responsibility and willingness to regular collection process. Based on these results, public education and teaching in school about waste management took the big responsibility to control the waste blooming in Eravur Urban Council area. 18% of the household heads were not worried about the waste disposal because of their personal issues like unemployment and high cost of living etc.

CONCLUSION

The study focused on the level of awareness and attitudes on different types of solid waste generated and disposal methods in Eravur Urban Council area. Proportionate sampling technique was used and from five Grama Niladhari divisions a total of 100 households were studied. Results revealed that the average quantity of solid waste generated by households was 2.61 kg/day. Food wastes topped the list of solid waste materials and found almost all households (100%). This was followed by paper/card board products, yard wastes, other, glass materials, plastics and metals. Every household generates 2.06 kg of food waste per day and food waste contributes nearly 79% of the total waste generated in the household. whereas plastic waste generation was very much lower (0.05 Kg/day) than all other types of waste. Eravur-01B households generated the highest average quantity (3.17kg/ household /day) of solid waste among all five GN divisions in the Eravur Urban Council.

Food wastes were disposed by households by several methods that were disposed in urban council track (30.35%), fed to animals (29.46%) and buried in their home (25.89%). Yard wastes, plastics, paper, metals and glass wastes were mostly disposed by households through the existing urban council collection service. Meanwhile, metals (34.31%) and plastic (4.9%) were sold by some of the households and only 0.93% of the household reused the paper.

It is recommended that the households must be educated with proper solid waste management practices. The government must intensify its proper solid waste management education to increase the awareness and knowledge level of households on the collection service

REFERENCE

Central Environment Authority, (2005)., Technical guidelines on solid waste management in Sri Lanka.

Eravur Urban Council, (2014). Eravur Urban Council report

Gunawardana, E.G.W., Basnayake, B.F.A., Shimada, S., Iwata, T. (2009). Influence of biological pre-treatment of municipal solid waste on landfill behaviour in Sri Lanka. *Waste Management Research*. 27(5): 456–462.

Perera, K.L.S., (2003)." An overview of the issues of solid waste management in Sri Lanka". In: M.I Bunch, V.M Suresh and T.V Kumaran, ed. 3rd international conference on environment and health, 15-17 December 2003. Chennai: York University, 346-352.

Praktiri, C.M.S., (2007). Solid Waste Management: Principles and Terminologies.